



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES—UNTABULATED.

FLORIDA.—Report from the state board of health of communicable diseases for the week ended April 24, 1909, shows as follows: Diphtheria—*Jacksonville*, *Tallahassee*, and *Waldo*, each 1 case; *Tampa*, 2. Malaria—*Clearwater*, *Orlando*, *Plant City*, and *Welaka*, each 1 case; *Inverness*, *Lake Butler*, each 2 cases; *Arcadia* 3, *Jacksonville* 12, *Tampa* 14, *Tallahassee* 4. Tuberculosis—*Ocala*, *Gainesville*, and *Plant City*, each 1 case; *Tallahassee* 2, *Jacksonville* 3, and *Tampa* 7. Enteric fever—*Tampa* 1.

INDIANA.—Month of February, 1909. Total number of deaths, 2,955, corresponding to an annual death rate of 14 per 1,000 of the population, which is estimated at 2,727,144. Deaths from contagious diseases were: Tuberculosis 358, enteric fever 19, diphtheria 18, scarlet fever 12, measles 12, whooping cough 38. Cases: Smallpox 138 in 22 counties; enteric fever 68 in 30 counties; diphtheria 93 in 33 counties.

Evansville.—Month of March, 1909. Estimated population, 75,000. Total number of deaths, 89, including enteric fever 1 and 13 from pulmonary tuberculosis. Cases: Diphtheria 4, scarlet fever 2, whooping cough 1, enteric fever 11, and pulmonary tuberculosis 6.

Jeffersonville.—Month of March, 1909. Estimated population, 12,000. Total number of deaths, 15, including 4 from tuberculosis. Cases: Tuberculosis 4.

LOUISIANA—*New Orleans*.—Month of March, 1909. Estimated population, 362,000 (white, 265,000; colored, 97,000). Total number of deaths, 563 (white, 342; colored, 221), including enteric fever 7, scarlet fever 12, diphtheria 1, and 64 from tuberculosis. Annual death rate per 1,000 for the month: White, 15.49; colored, 27.34. Total white and colored, 18.66.

MASSACHUSETTS.—Reports from the state board of health for the month of March, 1909. Fifty-three cities and towns reporting, having an aggregate estimated population of 2,363,438, report 3,205 deaths, including diphtheria 54, enteric fever 8, measles 22, and 275 from phthisis pulmonalis. Cases: Diphtheria 610, enteric fever 77, measles 1,917, scarlet fever 713, whooping cough 219, smallpox 2, and phthisis pulmonalis 556.

Gloucester.—Annual report for the year 1908. Total number of deaths 673, corresponding to an annual death rate of 13.4 per 1,000 of population, which is estimated at 53,176. The deaths from contagious diseases were: Whooping cough 17, diphtheria 9, enteric fever 2, and 71 from tuberculosis. Cases: Diphtheria 68, scarlet fever 74, and enteric fever 8.

Salem.—Period from January 1 to April 17, 1909. Estimated population 39,000. Total number of deaths 227, including scarlet

fever 1, diphtheria 1, and 13 from tuberculosis. Cases: Scarlet fever 40, diphtheria 28, whooping cough 15, measles 5, and tuberculosis 34.

Springfield.—Annual report for the year 1908. Estimated population, 81,425. Total number of deaths, 1,224, corresponding to an annual death rate of 15.03 per 1,000 of population, including enteric fever 22, measles 1, scarlet fever 8, whooping cough 2, diphtheria 24, and 92 from tuberculosis. Cases: Diphtheria 287, measles 92, scarlet fever 173, tuberculosis 91, enteric fever 90, and whooping cough 16.

Worcester.—Month of January, 1909. Estimated population, 143,333. Total number of deaths, 177, including enteric fever 1, whooping cough 3, diphtheria 2, and 25 from tuberculosis. Cases: Diphtheria 40, scarlet fever 40, enteric fever 1, tuberculosis 27, and whooping cough 5.

Month of February, 1909. Total number of deaths, 170, including scarlet fever 1, whooping cough 2, diphtheria 2, and 10 from tuberculosis. Cases: Diphtheria 31, scarlet fever 31, enteric fever 2, measles 20, whooping cough 8, and tuberculosis 26.

MINNESOTA—*Minneapolis*.—Month of March, 1909. Estimated population, 310,000. Total number of deaths, 319, including diphtheria 6, enteric fever 10, scarlet fever 5, and 47 from tuberculosis. Cases: Diphtheria 101, enteric fever 12, scarlet fever 97, smallpox 21, and tuberculosis 49.

St. Paul.—Month of February, 1909. Estimated population, 230,000. Total number of deaths reported to the department of health, 188, including diphtheria 6, enteric fever 2, scarlet fever 10, whooping cough 1, and 21 from tuberculosis. Cases: Diphtheria 113, scarlet fever 132, and smallpox 41.

Month of March, 1909. Total number of deaths, 224, including enteric fever 1, scarlet fever 10, diphtheria 12, and 33 from tuberculosis. Cases: Diphtheria 102, scarlet fever 210, measles 2, and smallpox, 27.

MISSOURI—*St. Louis*.—Month of March, 1909. Estimated population, 735,000 (white, 688,000; colored, 47,000). Total number of deaths, 995 (white, 901; colored, 94), including diphtheria 24, measles 16, enteric fever 7, scarlet fever 8, whooping cough 1, and 113 from pulmonary tuberculosis. Cases of contagious diseases reported: Diphtheria 168, enteric fever 17, measles 1,215, scarlet fever 122, whooping cough 31, smallpox 11, leprosy 1, and pulmonary tuberculosis 205.

NEW HAMPSHIRE—*Franklin*.—Month of April, 1909. Estimated population, 7,200. Total number of deaths, 14, including measles 3 and 1 from tuberculosis. Cases: Measles 63, and tuberculosis 1.

Manchester.—Month of March, 1909. Estimated population, 68,000. Total number of deaths, 110, including diphtheria 1, whoop-

ing cough 2, and 8 from tuberculosis. Cases: Diphtheria 31, scarlet fever 13, and enteric fever 3.

NORTH CAROLINA.—Month of February, 1909. Estimated population, 1,893,810. Reports of state board of health from 82 counties show as follows: Measles in 29 counties, whooping cough in 37 counties, scarlet fever in 28 counties, diphtheria in 27 counties, enteric fever in 24 counties, malarial fever in 8 counties, pernicious malarial fever in 3 counties, hemorrhagic malarial fever in 3 counties, and smallpox in 19 counties, viz: Bertie, 2; Camden, 20; Craven, 2; Currituck, a few; Duplin, 8; Forsyth, 18; Harnett, 16; Johnston, 6; Lee, 10; Lenoir, 40; Madison, 5; Martin, 9; Nash, 1; New Hanover, 2; Pasquotank, about 50; Rowan, 1; Sampson, 9; Warren, 3; Wayne 7.

UTAH—*Salt Lake City*.—Month of March, 1909. Estimated population, 85,000. Total number of deaths from all causes, 140, including diphtheria 6, scarlet fever 3, and 10 from tuberculosis. Cases: Diphtheria 20, whooping cough 37, measles 6, smallpox 62, scarlet fever 85, enteric fever 1.

WISCONSIN—*Milwaukee*.—Month of March, 1909. Estimated population, 370,000. Total number of deaths 424, including enteric fever 10, scarlet fever 3, diphtheria 5, measles 5, whooping cough 4, and 43 from tuberculosis. Cases: Smallpox 45, tuberculosis 68, diphtheria 70, scarlet fever 97, enteric fever 62, and measles 383.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, December 26, 1908, to May 7, 1909.

For reports received from June 26, 1908, to December 25, 1908, see PUBLIC HEALTH REPORTS for December 25, 1908.

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
Alabama:				
Autauga County.....	Feb. 27-Apr. 5....	11	Year 1908.
Prattville.....	Feb. 27-Apr. 5....	3	
Dallas County.....	Feb. 20-Apr. 12....	12	
Selma.....	Feb. 28-Apr. 12....	26	
Jefferson County—				
Birmingham.....	Mar. 1-31.....	10	
Mobile County—				
Mobile.....	Jan. 12-Apr. 17....	8	
Montgomery County—				
Montgomery.....	Mar. 13-Apr. 2....	2	
Tuscaloosa County.....	86	
Total for State.....	156	2	
Arkansas:				
Allbrook.....	Jan. 1-Mar. 25....	40	
Bethel.....	Jan. 25.....	3	
Jonesboro.....	Jan. 20-Mar. 1....	20	
Little Rock.....	Dec. 15-Jan. 2....	23	
Magnolia.....	Jan. 5-13.....	25	
Paragould.....	Feb. 1-Mar. 9....	27	
Texarkana.....	Nov. 26-Jan. 11....	10	
Total for State.....	148	
California, general.....				
Los Angeles.....	Nov. 1-Feb. 28....	4	
Oakland.....	Dec. 6-Apr. 3....	19	1	
Oakland.....	Nov. 1-Apr. 19....	16	
Sacramento.....	Nov. 1-Apr. 24....	55	